



EMPRESARIO
INDEPENDIENTE

FICHA TÉCNICA

BIBLIOGRAFÍA

Informe Técnico Profesional — Productos FuXion Perú

Volumen 42

Documento de capacitación para Empresario Independiente
Extracto del informe completo

BIBLIOGRAFÍA Y FUENTES CIENTÍFICAS

Referencias utilizadas en la elaboración de este informe

Fuentes Internas FuXion

- Material técnico-formativo FuXion Biotech (documentación interna entregada por equipos científicos de la compañía).
- Tablas Nutricionales FuXion Perú (fichas por producto).
- Web oficial FuXion Perú: <https://fuxion.com/pe/productos>
- Etiquetas y fichas técnicas de productos (cuando disponibles).

Organismos Regulatorios y Bases de Datos Científicas

- EFSA (European Food Safety Authority) — Panel on Nutrition, Novel Foods and Food Allergens. Claims nutricionales aprobados. <https://efsa.europa.eu>
- FDA (Food and Drug Administration) — Generally Recognized as Safe (GRAS) Database. <https://fda.gov>
- NIH (National Institutes of Health) — Office of Dietary Supplements. Fact Sheets por nutriente. <https://ods.od.nih.gov>
- OMS/OPS — Informes sobre micronutrientes y salud publica. <https://who.int> / <https://paho.org>
- PubMed/MEDLINE — Base de datos de literatura científica biomédica. <https://pubmed.ncbi.nlm.nih.gov>
- Cochrane Library — Meta-análisis y revisiones sistemáticas. <https://cochranelibrary.com>
- ISSN (International Society of Sports Nutrition) — Position Stands sobre suplementación deportiva.
- ACSM (American College of Sports Medicine) — Position Statements sobre nutrición y ejercicio.

Referencias Científicas Clave por Ingrediente

- FAO/WHO (2011). Dietary protein quality evaluation in human nutrition. Report of an FAO Expert Consultation. FAO Food and Nutrition Paper 92. Rome.
- FAO/WHO (2013). Dietary Reference Intakes — DIAAS (Digestible Indispensable Amino Acid Score). FAO Food and Nutrition Paper 95. Rome.
- Hill C et al. (2014). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol*, 11(8):506-14.
- Kemin Foods / Kemin Foods (2010). Slendesta® Potato Extract — Clinical Studies on Satiety and Appetite Control. (Datos propietarios registrados, Iowa, EE.UU.)
- Asserin J et al. (2015). The effect of oral collagen peptide supplementation on skin moisture and the dermal collagen network. *J Cosmet Dermatol*, 14(4):291-301.
- Byun JI et al. (2018). Safety and efficacy of gamma-aminobutyric acid from fermented rice germ in patients with insomnia symptoms. *J Clin Neurol*, 14(3):291-295.
- Haskell CF et al. (2008). The effects on cognition of a combination of L-theanine and caffeine in healthy volunteers. *Nutritional Neuroscience*, 11(4):193-198.
- Hung SK et al. (2011). The effectiveness and efficacy of *Rhodiola rosea* L.: A systematic review of randomised clinical trials. *Phytomedicine*, 18(4):235-244.
- Pratte MA et al. (2014). An alternative treatment for anxiety: a systematic review of human trial results reported for the Ayurvedic herb ashwagandha (*Withania somnifera*). *J Altern Complement Med*, 20(12):901-8.
- Reay JL et al. (2005). Single doses of *Panax ginseng* (G115) reduce blood glucose levels and improve cognitive performance during sustained mental activity. *J Psychopharmacol*, 19(4):357-65.
- Salve J et al. (2019). Adaptogenic and anxiolytic effects of ashwagandha root extract in healthy adults: a double-blind, randomized, placebo-controlled clinical study. *Cureus*, 11(12):e6030.
- Crowley DC et al. (2009). Safety and efficacy of undenatured type II collagen in the treatment of osteoarthritis of the knee. *Int J Med Sci*, 6(6):312-321.
- Daily JW et al. (2016). Efficacy of Turmeric Extracts and Curcumin for Alleviating the Symptoms of Joint Arthritis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. *J Med Food*, 19(8):717-29.
- Kimmatkar N et al. (2003). Efficacy and tolerability of *Boswellia serrata* extract in treatment of osteoarthritis of knee — a randomized double-blind placebo controlled trial. *Phytomedicine*, 10(1):3-7.

- Choi FD et al. (2019). Oral Collagen Supplementation: A Systematic Review of Dermatological Applications. J Drugs Dermatol, 18(1):9-16.
- Iwai K et al. (2005). Identification of food-derived collagen peptides in human blood after oral ingestion of gelatin hydrolysates. J Agric Food Chem, 53(16):6531-6.
- Oe M et al. (2016). Oral hyaluronan relieves wrinkles and improves dry skin: a 12-week double-blinded, placebo-controlled study. Clin Cosmet Investig Dermatol, 9:267-73.
- Gambero A & Ribeiro ML (2015). The positive effects of yerba mate (*Ilex paraguariensis*) in obesity. Nutrients, 7(2):730-50.
- Hursel R et al. (2011). The effects of catechin rich teas and caffeine on energy expenditure and fat oxidation: a meta-analysis. Obes Rev, 12(7):e573-81.
- Janssens PL et al. (2015). Acute effects of capsaicin on energy expenditure and fat oxidation in negative energy balance. PLoS One, 10(3):e0120164.
- Onakpoya I et al. (2011). The use of green coffee extract as a weight loss supplement: a systematic review and meta-analysis. Gastroenterol Res Pract, 2011:382852.
- Pooyandjoo M et al. (2016). The effect of (L-)carnitine on weight loss in adults: a systematic review and meta-analysis of randomized controlled trials. Obes Rev, 17(10):970-6.
- St-Onge MP & Jones PJ (2002). Physiological effects of medium-chain triglycerides: potential agents in the prevention of obesity. J Nutr, 132(3):329-32.
- Whigham LD et al. (2007). Efficacy of conjugated linoleic acid for reducing fat mass: a meta-analysis in humans. Am J Clin Nutr, 85(5):1203-11.
- Whiting S et al. (2012). Capsaicinoids and capsinoids. A potential role for weight management? A systematic review of the evidence. Appetite, 59(2):341-8.
- Broad EM et al. (2008). Effects of four weeks L-carnitine L-tartrate ingestion on substrate utilization during prolonged cycling. Int J Sport Nutr Exerc Metab, 18(6):567-84.
- Hobson RM et al. (2012). Effects of beta-alanine supplementation on exercise performance: a meta-analysis. Amino Acids, 43(1):25-37.
- Hwang P et al. (2018). Eight weeks of resistance training in conjunction with glutamine and L-citrulline supplementation increases lean mass and has no adverse effects on blood lipids in resistance-trained males. J Strength Cond Res, 32(8):2168-2179.
- Joy JM et al. (2013). The effects of 8 weeks of whey or rice protein supplementation on body composition and exercise performance. Nutr J, 12:86.
- Tang JE et al. (2009). Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. J Appl Physiol, 107(3):987-92.
- Wolfe RR (2017). Branched-chain amino acids and muscle protein synthesis in humans: myth or reality? J Int Soc Sports Nutr, 14:30.
- Jeukendrup AE (2010). Carbohydrate and exercise performance: the role of multiple transportable carbohydrates. Curr Opin Clin Nutr Metab Care, 13(4):452-7.
- Shing CM et al. (2009). The influence of bovine colostrum supplementation on exercise performance in highly trained cyclists. Br J Sports Med, 43(10):802-8.
- Stone M et al. (2009). A pilot investigation into the effect of maca supplementation on physical activity and sexual desire in sportsmen. J Ethnopharmacol, 126(3):574-6.
- Cochrane Library — Cranberry for preventing urinary tract infections (Jepson RG et al., 2012; updated 2023).
- Cochrane Library — Echinacea for preventing and treating the common cold (Karsch-Volk M et al., 2015).
- Cochrane Library — Ganoderma lucidum (Reishi mushroom) for cancer treatment (Jin X et al., 2016).
- Hawkins J et al. (2019). Black elderberry (*Sambucus nigra*) supplementation effectively treats upper respiratory symptoms: A meta-analysis of randomized, controlled clinical trials. Complement Ther Med, 42:361-365.
- Langmead L et al. (2004). Randomized, double-blind, placebo-controlled trial of oral aloe vera gel for active ulcerative colitis. Aliment Pharmacol Ther, 19(7):739-47.
- Martineau AR et al. (2017). Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. BMJ, 356:i6583.
- Singh M & Das RR (2013). Zinc for the common cold. Cochrane Database Syst Rev, (6):CD001364.
- Attaluri A et al. (2011). Randomised clinical trial: dried plums (prunes) vs. psyllium for constipation. Aliment Pharmacol Ther, 33(7):822-8.
- Tokuhara D et al. (2021). Secretory IgA-coated *Lactobacillus johnsonii* is associated with anti-inflammatory properties in murine macrophages. Sci Rep, 11(1):12006.
- Zmora N et al. (2018). Personalized gut mucosal colonization resistance to empiric probiotics is associated with unique host and microbiome features. Cell, 174(6):1388-1405.
- Kennedy DO et al. (2010). Effects of resveratrol on cerebral blood flow variables and cognitive performance in humans: a double-blind, placebo-controlled, crossover investigation. Am J Clin Nutr, 91(6):1590-7.

- Lopes Sakamoto F et al. (2019). Psychotropic effects of L-theanine and its clinical properties: From the management of anxiety and stress to a potential use in schizophrenia. *Nutrients*, 11(12):E3030.
- Hooper L et al. (2012). Effects of chocolate, cocoa, and flavan-3-ols on cardiovascular health: a systematic review and meta-analysis of randomized trials. *Am J Clin Nutr*, 95(3):740-51.
- Waldron M et al. (2018). The effects of oral taurine on resting blood pressure in humans: a meta-analysis. *Curr Hypertens Rep*, 20(9):81.
- Byun JI et al. (2018). Safety and efficacy of gamma-aminobutyric acid from fermented rice germ in patients with insomnia symptoms: a randomized, double-blind trial. *J Clin Neurol*, 14(3):291-295.
- Pineda O & Ashmead HD (2001). Effectiveness of treatment of iron deficiency anemia in infants and young children with ferrous bis-glycinate chelate. *Nutrition*, 17(5):381-4.
- Singhal M et al. (2015). Bioavailability and clinical efficacy of amino acid chelated minerals: a review of glycine-based mineral complexes. *Indian Journal of Nutrition & Dietetics*, 52(4):448-462.
- Shoba G et al. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 64(4):353-356.
- Mortensen SA et al. (2014). The effect of coenzyme Q10 on morbidity and mortality in chronic heart failure: results from Q-SYMBIO. *JACC Heart Failure*, 2(6):641-9.
- Chen S et al. (2010). Effect of Cs-4® (*Cordyceps sinensis*) on exercise performance in healthy older subjects: a double-blind, placebo-controlled trial. *Journal of Dietary Supplements / J Altern Complement Med*, 16(5):585-590.
- Tremmel M et al. (2013). Characterization of polyphenols in *Ilex guayusa* Loes. to discern any bioprospective potential. *Planta Med*, 79(3-4):265-72.
- Udani JK et al. (2011). Blocking carbohydrate absorption and weight loss: a clinical trial using Phase 2 brand proprietary fractionated white bean extract. *Altern Ther Health Med*, 17(4):38-43.

AVISO LEGAL

Condiciones de uso de este documento

AVISO LEGAL

Este documento ha sido elaborado por un Empresario Independiente FuXion Perú con propósito exclusivamente formativo y técnico-científico para profesionales de la salud. Su contenido corresponde al Informe Técnico FuXion Perú Volumen 42 y se elabora sobre etiquetas oficiales de producto y bibliografía científica indexada.

Los productos descritos son complementos nutricionales, no medicamentos. Ningún contenido debe ser interpretado como diagnóstico, tratamiento, cura ni prevención de enfermedades. Ante cualquier condición clínica o duda, consulte siempre a su médico tratante.

Toda la evidencia científica referida corresponde a ingredientes individuales, salvo indicación expresa de estudios clínicos sobre la fórmula completa del producto.

Este material es de uso interno y formativo, no representa material publicitario oficial de FuXion Biotech. Para consultas sobre este documento: fichanutrax@gmail.com

La información contenida en este documento está basada en literatura científica disponible sobre ingredientes individuales, etiquetas oficiales de producto y material técnico-formativo de FuXion Biotech. No sustituye la consulta con un profesional de la salud.